

ADVANTAGE

- ▶ **Superb Arc Characteristics**
in MIG, Stick and TIG Lift modes
- ▶ **Excellent arc starting and stability**
constructed for general applications
- ▶ **A variety of features**
for perfect welding
- ▶ **Digital meters**
allow for presetting and readout of the actual parameters during welding
- ▶ **8 procedures memory locations**
for storage of specific work settings
- ▶ **Inverter technology**
reduces energy demand



HIGH PRODUCTIVITY INDUSTRIOUS RELIABILITY !



The Speedtec® range is the Lincoln Electric solution for Industrial Multi-process applications. With modular and compact design this welding set is easy to move around site and transport is trouble free thanks to the lower weight of this new design.

With new inverter technology and 32 KHz inverter frequency, the arc is precisely controlled, many times faster than conventional analogue power sources. The electrical characteristics of the welding power can be changed by software in real time updates. A wide range of synergic programs are available as standard allowing simple yet precise control of welding parameters for the best results every time.

The Speedtec machines utilise the very latest power source technology for efficiency and lower energy consumption. Their advanced Inverter technology will save both time as well as energy. Driven by Lincoln Electric's Green Initiative, we aim to reduce the costs to you as well as the environment. These welding sets are available as 400A rated at 80% or 500A rated at 60% duty cycle (at 40°C).

With the LF 45 wire feed unit the welding set can support the MIG processes with synergic programs for Steel, Stainless Steel, Aluminium and Flux cored wires. Lift TIG and Stick functions are available as standard.

Thanks to its user-friendly and clear user interface controls, operation of the Speedtec could not be easier - This machine is designed with the operator in mind.

SPEEDTEC® – speed up welding processes by Inverter Technology from Lincoln Electric

Speedtec® 400-S / 500-S & LF-45

TECHNICAL SPECIFICATIONS POWER SOURCES

Product	Item Number	Primary Voltage (+/-10%) /Power factor/ Efficiency	Fuse Size (slow)	Weight (kg)	Dimensions HxWxD (mm)	Protection Class	Compliance
Speedtec 400S	K14053-1	400 V 3ph 50/60Hz 0,95/88%	25A	50	476 x 305 x 600	IP23	EN 60974-1 EN 60974-10 ROHS
Speedtec 500S	K14052-1		40A				

WELDING OUTPUT

Product	Current Range (A)	Input@rated output	Rated Output (40°C)	Max. OCV
Speedtec® 400S				
Stick	5 – 400	17,1 kVA @ 80%	400A/36,0V/80%	73 Vdc
TIG		12,8 kVA @ 80%	400A/26,0V/80%	
MIG	20 – 400	16,2 kVA @ 80%	400A/34,0V/80%	
Speedtec® 500S				
Stick	5 – 500	24,0 kVA @ 60%	390A/35,5V/100% 500A/40V/60%	73 Vdc
TIG		18,4 kVA @ 60%	390A/25,5V/100% 500A/30V/60%	
MIG	20 – 500	23,3 kVA @ 60%	390A/33,5V/100% 500A/39V/60%	

ACCESSORIES

Item Number	Description
K14096-1	Undercarriage
K10420-1	Acorox (2x5l)
K14067-1	Cool Arc® 45
K10349-PG-X	Interconnection cable, gas cooled. X=3;5;10;15m
K10349-PGW-X	Interconnection cable, water cooled. X=3;5;10;15m
K10413-360GC-4M	LG360GC 4m with cross switch
K10413-420GC-4M	LG420GC 4m with cross switch
K10413-505WC-4M	LG505WC 4m with cross switch

TECHNICAL SPECIFICATIONS WIRE FEEDERS

Product	Item Number	Wire size (mm)	Drive rolls	WFS (m/min)	Weight (kg)	Dimensions HxWxD (mm)	Weld modes	Functions
LF45	K14072-1	0.8-1.6	4	1.0-20	17	440 x 270 x 636	Stick, TIG, MIG Synergic: Fe, SS, Al, FCW	MIG: Burnback, Gas purge, Cold Inch, Crater, Pre & Post flow, Spot Timer, Run in. Others: Memory, Inductance, Arc Linc communications
LF45S	K14083-1				12.3	370 x 195 x 535		

CONTROL PANEL



- Wire Feed Speed / Amperage
- Actual voltage / Indication above or below synergic line
- Presetting WFS
- Presetting Trim of voltage
- Detailed welding and diagnostic information
- Welding mode, Inductance (CV), Hot Start/Arc Force (CC), memory jobs
- Set up status indication
- Arc start, arc end, trigger options
- CC Dinse connection for Stick
- 12-pin connection for gun remote or push-pull gun
- Air/Water cooling as standard
- Euroconnector for Linc Gun

Belgium:
Lincoln Smitweld Belgium
Tel: +32 54 33 42 12
e.mail: info@lincolnelectric.eu

Denmark:
Lincoln Electric Nordic
Tel: +45 86 26 51 00
e.mail: jtimmer@lincolnelectric.eu

Finland:
Lincoln Electric Nordic
Tel: +35 8 10 52235 00
e.mail: jtimmer@lincolnelectric.eu

France:
Lincoln Electric France
Tel: +33 2 32 11 40 40
e.mail: info@lincolnelectric.eu

Germany:
Lincoln Electric Deutschland
Tel: +49 2102 713960
e.mail: info@lincolnelectric.eu

Italy:
Lincoln Electric Italia
Tel: +39 010 754 111
e.mail: info@lincolnelectric.eu

The Netherlands:
Lincoln Smitweld
Tel: +31 24 3522 911
e.mail: info@lincolnelectric.eu

Norway:
Sveiseeksperten AS
Tel: +47 22 08 00 94
e.mail: info@lincolnelectric.eu

Poland:
Lincoln Electric Bester
Tel: +48 74 64 61 100
e.mail: info@lincolnelectric.eu

Portugal:
Electro Arco
Tel: +351 21 238 7300

Russia:
Lincoln Electric Russia
Tel: +7 (495) 6609404
e.mail: russia@lincolnelectric.eu

Spain:
Lincoln Electric Spain
Tel: +34 93 685 96 00
e.mail: info@lincolnelectric.eu

Sweden:
Svetskompaniet AB
Tel: +46 (0) 320 211710
e.mail: info@lincolnelectric.eu

UK/ Ireland:
Lincoln Electric UK
Tel: +44 114 287 2401
e.mail: info@lincolnelectric.eu