

Red-D-Arc Welderrentals

Calibration Certificate

Miller ProHeat 35

Unit Serial Number: MC200183G

Date Tested: Aug 18 /15

Certified Calibration

Primary Standard						
	382° (F)		882° (F)		1382° (F)	
	2.787VDC@RC9		6.013VDC@RC9		9.239VDC@RC9	
	RC9 output DC voltage reading	ProHeat 35 display	RC9 output DC voltage reading	ProHeat 35 display	RC9 output DC voltage reading	ProHeat 35 display
TC1	2.792	382	6.019	882	9.237	1382
TC2	2.793	382	6.017	883	9.241	1382
TC3	2.798	383	6.019	883	9.245	1382
TC4	2.796	383	6.021	883	9.247	1383
TC5	2.795	383	6.021	883	9.245	1382
TC6	2.800	384	6.021	883	9.253	1383
Allowable	2.749-2.825	+/- 3° F	5.975-6.051	+/- 3° F	9.201-9.277	+/- 3° F

Instruments Used:

Fluke 714 Thermocouple Calibrator SN: 2118058

Precision Digital Voltage Meter SN: 2142007

Calibration Date: Oct 29 / 2014

Calibration Date: Oct 29 / 2014

Machine re-calibration due date: Aug 18 / 2016

Red-D-Arc does hereby certify the above instrument was calibrated against standards maintained by Red-D-Arc and meets or exceeds all published specifications. The accuracy of these standards is directly traceable to the National Institute of Standards and Technology.

Unit passed inspection.



Technician: Mark T

Date: Aug 18 / 15

(Signature)